

# Magnet Switch

## **MOTOMETER**



### **Our MOTOMETER Magnet Switch**

Our Magnet Switch provides a cost-effective, reliable, and easy-to-install solution for a variety of applications. With an IP67 protection rating, it is suitable for use in demanding environments. Its rated voltage of 48V and current of 0.5A make it versatile for various uses. Even in extreme operating temperatures ranging from -40 to +85°C, it remains reliably functional. Crafted from high-quality materials (PA6 & GF30), it is durable and robust.

Whether you intend to use it in the automotive industry, mechanical engineering, or other fields, our Magnet Switch offers the performance and reliability you need.

Contact us now to learn more about our products and to receive personalized quotes!

[Contact us now](#)

### **Technical specifications**

**Protection class:** IP 67

**Nominal Voltage:** 48V / Nominal Current: 0,5 A

**Operating Temperature:** -40 ... +85 °C

**Material:** PA6 & GF30



### **Benefits**

- Cost-effective
- Reliable
- Simple installation

### **Discover our magnetic switches in our online store now**

Visit the MOTOMETER online store and find the perfect product for your requirements  
- discover it now!

### Our different Magnet Switch variants:

	P74 012 0001	P74 012 0004
Product Image		
Drawing	<a href="#">Drawing</a>	<a href="#">Drawing</a>
Thread	M12x1	M12x1
Thread Length	36 mm	36 mm
Connector	AMP Superseal 2 pol.	AMP Superseal 2 pol.
Nominal Power	20 W	10 W
Feature	N/O	N/O
Shop Link	<a href="#">Discover now</a>	<a href="#">Discover now</a>

### Special wishes? We deliver customized solutions!

In addition to the standard products listed, we can also offer you customized solutions specific solutions. Contact us now with your requirements!